Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Reference number: 000016

Issue date: 6/28/2022 Revision date: 10/4/2022 Supersedes version of: 6/28/2022 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : PEST INTERCEPTORS ONE SHOT AEROSOL

UFI : YH90-209A-N00K-UF7M

Vaporizer : Aerosol
Product group : End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Professional use, Consumer use

Use of the substance/mixture : Insecticide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Pest Interceptors Ltd

5

Harrison Road

DY8 5XU Stourbridge

United Kingdom

T 07852 134 442

help@pestinterceptors.co.uk

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 2 H315
Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment – Chronic Hazard, H410

Category 1

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. Very toxic to aquatic life with long lasting effects.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS09

Signal word (CLP)

: Danger

Contains : Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use. P264 - Wash Skin thoroughly after handling.

P280 - Wear protective clothing, eye protection, face protection.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P391 - Collect spillage.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 - Dispose of contents/container in accordance with national regulations.

EUH-statements EUH208 - Contains CHRYSANTHEMUM CINERARIAEFOLIUM EXTRACT IN

> PETROLEUM DISTILLATES - FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CARBONDIOXIDE (89997-63-7).

May produce an allergic reaction.

Use of protective gloves is required for Professional users only. Extra phrases

> The most relevant P Phrase statements based on Pack Size and End User are on product labels. Additional P Phrase statements are included on the SDS for information only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately—40°C to 80°C (—40°F to 176°F).] (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (BE, CZ, GB, GR, HR)	CAS-No.: 68476-85-7 EC-No.: 270-704-2 EC Index-No.: 649-202-00-6	≥ 50 – < 70	Flam. Gas 1, H220 Press. Gas (Comp.), H280

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HAMSOL IPG	CAS-No.: 65072-03-9 EC-No.: 923-037-2 REACH-no: 01-2119471991- 29	≥ 10 - < 30	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics substance with national workplace exposure limit(s) (AT, BG, CZ, DE, DK, EE, FI, GB, GR, HU, LT, NL, PL, SE, SK, AL, IS, NO, CH)	CAS-No.: 64742-49-0 EC-No.: 927-510-4 EC Index-No.: 649-328-00-1 REACH-no: 01-2119475515- 33	≥ 5 – < 10	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
PIPERONYL BUTOXIDE (Active substance (Biocide))	CAS-No.: 51-03-6 EC-No.: 200-076-7	≥1-<5	Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH066
CHRYSANTHEMUM CINERARIAEFOLIUM EXTRACT IN PETROLEUM DISTILLATES - FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CARBONDIOXIDE	CAS-No.: 89997-63-7	<1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=10)

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. Loosen tight clothing such as a collar, tie, belt or waistband. Place the affected person in the recovery position.

First-aid measures after skin contact First-aid measures after eye contact

: Wash skin with plenty of water.

Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

: Call a poison center or a doctor if you feel unwell. Rinse mouth out with water. Give a few small glasses of water or milk to drink. If unconscious, place in the recovery position and seek medical advice. Do not give an unconscious person anything to drink. Do NOT induce vomiting. Place under medical observation.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

: The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Symptoms/effects after eye contact

: May cause slight irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

10/4/2022 (Revision date) GB - en 3/14

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Explosion hazard : Pressurised container: May burst if heated.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Keep

away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after

use.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a

well-ventilated place. Keep cool.

7.3. Specific end use(s)

Insecticide.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)

United Kingdom - Occupational Exposure Limits

Local name n-Heptane

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)		
WEL TWA (OEL TWA) 2085 mg/m³		
	500 ppm	
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE		

Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)

United Kingdom - Occupational Exposure Limits

Local name	Liquefied petroleum gas	
WEL TWA (OEL TWA)	1750 mg/m³	
	1000 ppm	
WEL STEL (OEL STEL)	2180 mg/m³	
	1250 ppm	
Remark	Carc (Capable of causing cancer and/or heritable genetic damage (only applies if LPG contains more than 0.1% of buta-1,3-diene))	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Light yellow. Colourless. Odour Slight. Kerosene. Odour threshold No data available No data available рΗ Relative evaporation rate (butylacetate=1) : No data available : Not applicable Melting point : No data available Freezing point Boiling point : No data available Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Extremely flammable aerosol.

Vapour pressure : No data available Relative vapour density at 20° C : No data available Relative density : 0.725 - 0.755

Solubility : Material insoluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available

Explosive properties : Pressurised container: May burst if heated.

Oxidising properties : No data available Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (ilinalation)	Not classified	
PEST INTERCEPTORS ONE SHOT AEROSOL		
LD50 dermal rabbit	>	
LD50 dermal	>	
PIPERONYL BUTOXIDE (51-03-6)		
LD50 oral rat	4570 – 5630 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat (Vapours)	> 5.9 mg/l/4h	

Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)

LC50 Inhalation - Rat (Vapours) > 20 mg/l/4h

CHRYSANTHEMUM CINERARIAEFOLIUM EXTRACT IN PETROLEUM DISTILLATES - FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CARBONDIOXIDE (89997-63-7)

LD50 oral rat	1030 (≥) mg/kg
LD50 dermal rabbit	> 2000 (≥) mg/kg
LC50 Inhalation - Rat (Dust/Mist)	2.3 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.

PIPERONYL BUTOXIDE (51-03-6)

pH 5.8

Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)

pH

Serious eye damage/irritation : Not classified

PIPERONYL BUTOXIDE (51-03-6)

pH 5.8

Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)

рн

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

PIPERONYL BUTOXIDE (51-03-6)		
STOT-single exposure	May cause respiratory irritation.	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure :	Not classified	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyc	lics (64742-49-0)	
LOAEC (inhalation, rat, vapour, 90 days)	16.6 mg/l air Animal: rat, Animal sex: male	
NOAEC (inhalation, rat, vapour, 90 days)	3.3 mg/l air Animal: rat, Animal sex: male	
Aspiration hazard : Not classified		
PEST INTERCEPTORS ONE SHOT AEROSOL		
Vaporizer	Aerosol	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)		
Viscosity, kinematic	0.5 – 1.2 mm²/s	
CHRYSANTHEMUM CINERARIAEFOLIUM EXTRACT IN PETROLEUM DISTILLATES - FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CARBONDIOXIDE (89997-63-7)		
Viscosity, kinematic	7.05 mm²/s @ 40°C	

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Very toxic to aquatic life with long lasting effects.

(chronic)

(Girone)		
PIPERONYL BUTOXIDE (51-03-6)		
LC50 - Fish [1]	3.94 mg/l	
LC50 - Fish [2]	6.12 mg/l	
EC50 - Crustacea [1]	0.05 – 0.51 mg/l	
EC50 72h - Algae [1]	3.89 mg/l	
NOEC chronic fish	0.18 mg/l	
NOEC chronic crustacea	0.03 mg/l	
NOEC chronic algae	0.824 mg/l	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)		
LOEC (chronic)	0.32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.17 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
CHRYSANTHEMUM CINERARIAEFOLIUM EXTRACT IN PETROLEUM DISTILLATES - FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CARBONDIOXIDE (89997-63-7)		
LC50 - Fish [1]	0.0052 mg/l Oncorhynchus mykiss (Rainbow trout)	
EC50 - Crustacea [1]	0.12 mg/l Daphnia magna	

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

12.2. Persistence and degradability

PEST INTERCEPTO	TO ONE O	IOT APPOCAL
PEST INTERCEPTO	25 UNE 51	AUI AFRUSUI

Persistence and degradability Not rapidly degradable

PIPERONYL BUTOXIDE (51-03-6)

Persistence and degradability Not rapidly degradable

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)

Persistence and degradability Not rapidly degradable

HAMSOL IPG (65072-03-9)

Persistence and degradability Readily biodegradable.

Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)

Persistence and degradability Not rapidly degradable

CHRYSANTHEMUM CINERARIAEFOLIUM EXTRACT IN PETROLEUM DISTILLATES - FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CARBONDIOXIDE (89997-63-7)

Persistence and degradability Not rapidly degradable

12.3. Bioaccumulative potential

CHRYSANTHEMUM CINERARIAEFOLIUM EXTRACT IN PETROLEUM DISTILLATES - FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CARBONDIOXIDE (89997-63-7)

Partition coefficient n-octanol/water (Log Pow) > 4

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

 $: \ \, \text{Dispose of contents/container in accordance with licensed collector's sorting instructions}.$

10/4/2022 (Revision date) GB - en 9/14

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

HP Code

- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA	
14.1. UN number			
UN 1950	UN 1950	UN 1950	

14.2. UN proper shipping name

AEROSOLS (Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).]) AEROSOLS (Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).])

Aerosols, flammable (Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).])

Transport document description

UN 1950 AEROSOLS (Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).]), 2.1, (D), ENVIRONMENTALLY HAZARDOUS

UN 1950 AEROSOLS (Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).]), 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

UN 1950 Aerosols, flammable (Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).]), 2.1, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

2.1 2.1 2.1

14.4. Packing group

Not applicable Not applicable Not applicable

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

ADR	IMDG	IATA
14.5. Environmental hazards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P2

Packing instructions (ADR) : P207, LP200 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR): MP9Transport category (ADR): 2Special provisions for carriage - Packages (ADR): V14Special provisions for carriage - Loading, unloading: CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2
Tunnel restriction code (ADR) : D

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:				
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road			
ATE	Acute Toxicity Estimate			
BCF	Bioconcentration factor			
BLV	Biological limit value			
BOD	Biochemical oxygen demand (BOD)			
COD	Chemical oxygen demand (COD)			
DMEL	Derived Minimal Effect level			
DNEL	Derived-No Effect Level			
EC-No.	European Community number			
EC50	Median effective concentration			
EN	European Standard			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods			
LC50	Median lethal concentration			
LD50	Median lethal dose			
LOAEL	Lowest Observed Adverse Effect Level			
NOAEC	No-Observed Adverse Effect Concentration			

10/4/2022 (Revision date) GB - en 12/14

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Abbreviations and acronyms:		
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Other information

: The information contained in this Safety Data Sheet is believed to be true and correct, as of the issue date. The accuracy and completeness of this information and any recommendations, or suggestions are made without warranty or guarantee. Since the conditions of use are beyond the control of our company, it is the responsibility of the user to determine the conditions of safe use for this product. The SDS is issued for the Great British market; please contact the Supplier for a new SDS if you are in Northern Ireland.

Full text of H- and EUH-statements:				
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2			
Asp. Tox. 1	Aspiration hazard, Category 1			
EUH066	Repeated exposure may cause skin dryness or cracking.			
EUH208	Contains CHRYSANTHEMUM CINERARIAEFOLIUM EXTRACT IN PETROLEUM DISTILLATES - FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIIFOLIUM OBTAINED WITH SUPERCRITICAL CARBONDIOXIDE (89997-63-7). May produce an allergic reaction.			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Gas 1	Flammable gases, Category 1			
Flam. Liq. 2	Flammable liquids, Category 2			
Flam. Liq. 3	Flammable liquids, Category 3			
H220	Extremely flammable gas.			
H222	Extremely flammable aerosol.			
H225	Highly flammable liquid and vapour.			

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Full text of H- and EUH-statements:			
H226	Flammable liquid and vapour.		
H229	Pressurised container: May burst if heated.		
H280	Contains gas under pressure; may explode if heated.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H335	May cause respiratory irritation.		
H336	May cause drowsiness or dizziness.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
Press. Gas (Comp.)	Gases under pressure : Compressed gas		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1B	Skin sensitisation, category 1B		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:					
Aerosol 1	H222;H229	On basis of test data			
Skin Irrit. 2	H315	Calculation method			
Aquatic Acute 1	H400	Calculation method			
Aquatic Chronic 1	H410	Calculation method			

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.